Fig. 1a






Fig. 1b.








Fig. 2a




Fig. 2b




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8





Fig. 9






Fig. 10b




Fig. 11

Criterion1=Stocknews, pageno.=10

BB If [criterion 1] is equal to value1 at locationx in page\_header, then pre-fetch [pageno.] pages,
Else, process to next step.

## Fig. 12

Opening hour=1000, closing hour=1600, value1=15

DD If time\_stamp in page\_header is greater than [opening hour] & less than

[closing hour], refresh page if [value1] minutes have elapsed since timestamp,


Else, proceed to next step.

## Fig. 13

Protocol	domain	port	directory path	object	spot
ftp	x.com	0.8	hypertext/www addressing	/addressing.html	#spot
gopher	x.edu				
http	x.gov				
mailto	x.mil				
news	x.net				
telnet	x.org				
wais					
file					

## Fig. 14

Г	Type	- Examples
i [	image	<img src="*http://www.siteone.com/sales/pictures/dem.gif"/>
ii 🗀		<img src="*http://www.siteone.com/sales/pictures/dem.eps"/>
iii [		<li><lmg src="*http://www.siteone.com/sales/pictures/dem.jpeg"></lmg></li>
s1 -	sound	<a href="talk.au"> specification talk, 77k<a></a></a>
32		<a href="talk.au"> specification talk, 77k<a></a></a>
v1	video	<a href="tape.MPEG"> Video, 77k<a></a></a>
f1	form	



(